

---

# Machines

---



---

SYSTEMS  
MACHINES  
TOOLS & DIES  
ACCESSORIES

---

## Contact

**GSW Schwabe AG**


Peter-Jakob-Busch-Straße 13, 47906 Kempen, Germany

Phone: +49 2152 2033-0, Fax: +49 2152 2454

info@gsw-group.com, www.gsw-group.com

## Coil Reels

4 series from 80 to 30,000 kg capacity; ranging from sensitive winding technology to heavy-duty machines for 16 mm coils




### Product Range

- LH – with wide-range bevel gear expansion, up to 1,000 kg
- LMH – with lever arm expansion, up to 1,500 kg
- MH – with bevel gear or wedge expansion, up to 6,000 kg
- SH – with wedge type expansion, up to 30,000 kg

## Straighteners


Featuring the famous “Alligator” straightening head (GSW’s RMA-Series) – pioneering this design in 1968, GSW is cutting-edge technology



### Product Range

- RMA – from 160 to 1,500 mm width and up to 12.0 mm thickness

The RMZ – Precision Straightener in heavy frame design. Close center-distances and high-torque drive system allow for superior flatness results



### Product Range

- RMZ – from 160 to 2,000 mm width and up to 16.0 mm thickness

## Contact

### GSW Schwabe AG


Peter-Jakob-Busch-Straße 13, 47906 Kempen, Germany

Phone: +49 2152 2033-0, Fax: +49 2152 2454

info@gsw-group.com, www.gsw-group.com

## Feeder-Straighteners

Basing on the alligator-head design of the RMA straightener, GSW developed its first Feeder-Straightener (that featured full piloting, strip retaining and measurement-wheel technology) already in the 1980s




### Product Range

- VRMA – from 160 to 1,500 mm width and 12.0 mm thickness; piloting speeds up to 120 SPM

## Feeders

Advancing strip material safely and precisely – with either roll or gripper. Solutions for (almost) all material types



### Product Range

- Air-powered Gripper Feeds for up to 300 SPM or 5.0 mm thickness
- Servo Roll Feeds for up to 2,000 mm stock width and acceleration up to 30m/sec<sup>2</sup>

## Levellers

When flatness becomes core competence ...




### Product Range

- FRM – from 160 to 1,250 mm width and 0.3 to 4.0 mm thickness
- designed 2-, 4-, 5- or 6-high
- with cassette option

## Shears

8 mm stainless steels or 500 cuts per minute – GSW has no fear of separation!



### Product Range

- Pneumatic Shears for up to 500 strokes or 3.0 mm material thickness. Widths from 60 to 800 mm
- Hydraulic Shears for up to 8.0 mm material thickness. Width from 160 to 800 mm
- Electric Blanking Shears for cross sections of up to 4100x4.0 mm

## Contact

### GSW Schwabe AG

Peter-Jakob-Busch-Straße 13, 47906 Kempen, Germany

Phone: +49 2152 2033-0, Fax: +49 2152 2454

info@gsw-group.com, www.gsw-group.com